

**COASTAL ENVIRONMENTAL PROFILE**  
**OF THE**  
**SARANGANI BAY AREA**  
**MINDANAO, PHILIPPINES**

**EDGAR A. DE JESUS**  
**DOLORES ARIADNE D. DIAMANTE-FABUNAN**  
**CLETO L. NAÑOLA**  
**ALAN T. WHITE**  
**HERMENEGILDO J. CABANGON**

Coastal Resource Management Project

*of the*

Department of Environment and Natural Resources

*supported by the*

United States Agency for International Development

2001

## **Coastal Environmental Profile of the Sarangani Bay Area, Mindanao, Philippines**

Edgar A. de Jesus, Dolores Ariadne D. Diamante-Fabunan, Cleto Nañola, Alan T. White and Hermenegildo J. Cabangon

2001

PRINTED IN CEBU CITY, PHILIPPINES

**Citation:** de Jesus, E.A., D.A.D. Diamante-Fabunan, C. Nañola, A.T. White and H.J. Cabangon. 2001. *Coastal Environmental Profile of the Sarangani Bay Area, Mindanao, Philippines*. Coastal Resource Management Project, Cebu City, Philippines, 102 p.

This publication was made possible through support provided by the United States Agency for International Development (USAID) under the terms and conditions of Contract No. AID-492-C-00-96-00028-00 supporting the Coastal Resource Management Project (CRMP). The opinions expressed herein are those of the authors and do not necessarily reflect the views of the USAID. This publication may be reproduced or quoted in other publications as long as proper reference is made to the source.

**Production:** Ms. Leticia B. Dizon copy-edited and Lume Inamac and Leslie S. Tinapay word-processed, did the layout, and designed the cover of this document.

**Cover photos:** A. T. White, H. J. Cabangon and T. Parras

**Inside photos:** H. J. Cabangon and Olive Gonzales

CRMP Document No. 30-CRM/2001

ISBN 971-92289-7-0

# ***CONTENTS***

<b>Tables and Figures</b>	v
<b>Acronyms and Abbreviations</b>	viii
<b>Acknowledgments</b>	ix
<b>Foreword from the Governor</b>	x
<b>Foreword from the Mayor</b>	xi
<b>Preface</b>	xii
<b>Commonly Used Local Terms</b>	xiii
<b>Glossary of Terms</b>	xv
<b>Chapter 1</b>	
<b>Introduction</b>	1
Location	1
Short Description of the Area	3
Historical Background	4
Summary of Issues	4
Objectives	5
Scope	6
<b>Chapter 2</b>	
<b>Physical Features</b>	9
Land Area	9
Topography	9
Hydrology	12
Soil	16
Land Uses	16
Climate	18
<b>Chapter 3</b>	
<b>Natural Resources</b>	21
Mineral Resources	21
Forest Resources	21
Coastal Resources	22
Mangrove Community	38
Seagrass Community	39
Coral Reef and Reef Fish Communities	41
Seaweeds	44
Other Marine Fauna	44
Summary	45

<b>Chapter 4</b>	
<b>Sociopolitical Setting</b>	47
Political/Administrative Boundaries	47
Demography	47
Population Size, Density, and Growth Rate	52
Households	52
Age and Gender Composition	53
Urban and Rural Population Distribution	54
Education	54
Labor and Employment	56
Religious and Ethnic Groups	57
Dialects	57
Health, Sanitation, and Medical Care	58
Settlements	58
Roads, Transportation and Communication, and Related Infrastructure or Support Systems	58
Summary	61
<b>Chapter 5</b>	
<b>Economic Sector</b>	63
Fisheries	63
Capture Fisheries	64
Aquaculture	75
Tourism	77
Industry	77
Agriculture	79
Summary	80
<b>Chapter 6</b>	
<b>Institutional and Legal Framework</b>	81
Introduction	81
Current State of the Philippine Coastal Zone Law	82
Local Government	84
NGOs Involved in Integrated Coastal Management	86
Community Organizations	86
Summary	88
<b>Chapter 7</b>	
<b>Management Issues and Opportunities</b>	89
Environmental Issues and Opportunities	89
Economic Issues and Opportunities	92
Political and Institutional Issues and Opportunities	94
Summary	96
<b>References</b>	101

# ***TABLES and FIGURES***

## **Tables**

2.1	Habitat land area per municipality in the Sarangani Bay profile area	10
2.2	Slope classification of the coastal municipalities of Sarangani Province and GSC	10
2.3	List of watershed areas in Sarangani Province	12
2.4	Characteristics of major watersheds	12
2.5	Number of rivers and creeks per municipality in the profile area	12
2.6	Water discharge levels of some rivers in Sarangani Province	13
2.7	Results of the physicochemical studies of Sarangani Bay, 1997	14
2.8	Results of the biochemical studies of Sarangani Bay, 1997	15
2.9	Soil classification per coastal municipality of Sarangani Province and GSC	16
2.10	NIPAS and non-NIPAS protected lands per coastal municipality of Sarangani Province	17
2.11	Average temperature, rainfall, and relative humidity per month in Sarangani Province	19
3.1	Mineral deposits and other resources in the profile area	22
3.2	Second growth forestlands of Sarangani Province	22
3.3	Mangrove forestlands of the profile area	38
3.4	List of mangrove species in Sarangani Bay	40
3.5	List of seagrass species identified in the coastal areas of Sarangani Province and GSC	40
3.6	Percentage coral cover, substrate, and algae in the profile area	41
3.7	Number of fish species, fish abundance, and biomass estimates in Sarangani Province including GSC	42
3.8	List of fish families and species observed	43
4.1	Population size, density, and growth rate of the coastal municipalities of Sarangani Province and GSC, 1990 and 1995	52
4.2	Population size and density of coastal <i>barangays</i> per municipality of Sarangani Province and GSC	53
4.3	Household size and number of households per municipality/city	53
4.4	Age group breakdown per municipality/city, 1995	54
4.5	Urban and rural population breakdown, 1980 and 1990	55
4.6	Distribution of occupation in coastal <i>barangays</i>	56
4.7	Percentage composition of house types and ownership in some areas in the coastal municipalities of Sarangani Province	59
5.1	Most common fishing methods used and frequency of use in the profile area	65
5.2	Number of times fishing methods are used in a week	66
5.3	Fishing methods identified as either good or bad	66

5.4	Fishing methods used by other members of the family	67
5.5	Fishing methods used by various members of the fisher's family	67
5.6	Persons who accompany fishers during fishing	68
5.7	Number of fishers and <i>bancas</i> based on household interviews from the 5 municipalities of Sarangani Province	69
5.8	Number of fishers and motorized and non-motorized boats per coastal municipality of Sarangani Province and GSC	70
5.9	Fishing effort of the common gear in the 5 municipalities of Sarangani Province and GSC	71
5.10	CPUE and IPUE per gear	71
5.11	Fish species caught in the profile area and the number of respondents in each municipality and city that identified the species accordingly	72
5.12	Weight of fish caught in 1 day in the profile area	73
5.13	Distance from the shoreline where fishers catch their fish	73
5.14	Monthly production from municipal fisheries in 1999	74
5.15	Number of <i>bangus</i> fry concessionaires and their annual harvest	75
5.16	Monthly aquaculture production in 1999	76
5.17	List of tourist attractions in Sarangani Province and GSC	78
5.18	Espina Industrial Center land use	79
5.19	Livestock and poultry production per coastal municipality of Sarangani Province, 1993-1994	80
6.1	1998 CRM budget for Malapatan	84
6.2	List of academic and nongovernment organizations working on integrated coastal zone management	86
6.3	Past fishery NGO work in Sarangani, type of assistance offered, and sources of funds	87

## Figures

1.1	Map of Sarangani Bay	2
2.1	Percent land area of each municipality compared to the total land area of the profile area	11
2.2	Percent of coastline per municipality/city compared to that of the profile area	11
2.3	Percent coastal land area per municipality/city in the profile area	11
2.4	Profile area rivers and creeks	13
2.5	One of the silted rivers in Maitum flowing into Sarangani Bay	14
2.6	Locations of stations for the Sarangani Bay water quality sampling	15
3.1	Map of Sarangani Province and GSC showing coastal resources such as mangroves, seagrasses, and coral reefs	23
3.2	Coastal resource map of Maitum, Sarangani Bay	24
3.3	Coastal resource map of Kiamba, Sarangani Bay	26
3.4	Coastal resource map of Maasim, Sarangani Bay	28
3.5	Coastal resource map of General Santos City, Sarangani Bay	30
3.6	Coastal resource map of Alabel, Sarangani Bay	32
3.7	Coastal resource map of Malapatan, Sarangani Bay	34
3.8	Coastal resource map of Glan, Sarangani Bay	36

3.9	Extensive beach of Barangay Salakit, Kiamba	38
3.10	Natural growth mangroves in Malapatan-Maasim area	39
3.11	Excellent cover of <i>Acropora</i> (branching corals) found in Tula Marine Park, Kiamba	42
3.12	<i>Dugong</i> washed on the shoreline of Sarangani Bay in Glan	44
3.13	Newly hatched green turtles found in Lomuyon, Kiamba	45
3.14	Change in living hard coral cover inside the Tuka Marine Sanctuary from 1998 to 2001	45
3.15	Change in fish abundances (number of individuals within 500 m <sup>2</sup> area) inside and outside of the Tuka Marine Sanctuary from 1998 to 2001	46
4.1	Number of coastal and total <i>barangays</i> in the profile area	48
4.2	Alabel coastal <i>barangays</i>	48
4.3	GSC coastal <i>barangays</i>	49
4.4	Glan coastal <i>barangays</i>	49
4.5	Kiamba coastal <i>barangays</i>	50
4.6	Maasim coastal <i>barangays</i>	50
4.7	Maitum coastal <i>barangays</i>	51
4.8	Malapatan coastal <i>barangays</i>	51
4.9	Age-sex population pyramid, Sarangani, 1995	54
4.10	Highest education completed for GSC and Sarangani	55
4.11	Household population 15 years old and over by trade skill, Sarangani, 1995	56
4.12	Household population 15 years old and over by trade skill, GSC, 1995	56
4.13	Composition of religious groups in Sarangani Province	57
4.14	Dialects spoken in Sarangani Province	58
4.15	Part of the 178-km road network connecting GSC to the 10 major municipalities	59
5.1	Commercial fishing boats still fish in municipal waters of Sarangani Bay	63
5.2	Trend of catch per unit effort for small pelagic fisheries since 1948	64
5.3	Trends in Philippine fish production, 1987-1996	65
5.4	Number of hours spent by fishers catching fish	68
5.5	Bamboo stakes where fisherfolk hang their torch to attract <i>bangus</i> fry in Kiamba	74
5.6	Fishponds near the pier in Glan	75
6.1	Fish sanctuary established in Alabel by the DA and LGU	84
6.2	Newly renovated patrol boat for Sarangani Province currently in drydock in GSC	86
7.1	Status of coral reef ecosystem in Sarangani Bay	92
7.2	Project evaluators discussing the problem of limited entry with residents of Sapu-Padidu, Glan	93
7.3	Technical working group drawing the PCRA maps that identified issues such as seajacking	95
7.4	More marine sanctuaries are being established in the bay area	96

# ***ACRONYMS and ABBREVIATIONS***

BFAR	Bureau of Fisheries and Aquatic Resources
BIMP-EAGA	Brunei, Indonesia, Malaysia, and Philippines-East ASEAN Growth Area
CENRO	Community Environment and Natural Resources Office
CRM	coastal resource management
CRMP	Coastal Resource Management Project
DA	Department of Agriculture
DENR	Department of Environment and Natural Resources
DILG	Department of the Interior and Local Government
ENRO	Environment and Natural Resources Office
FARMC	Fisheries and Aquatic Resources Management Council
GSC	General Santos City
GSTTEOI	General Santos Traders and Tuna Exporters Organization
GT	gross ton
ha	hectare
km	kilometer
km <sup>2</sup>	square kilometer
LBII	Louis Berger International, Inc.
LGU	local government unit
lps	liters per second
m	meter
mg/L	milligrams per liter
MGP	Mindanao Growth Plan
ml	milliliter
MPDO	Municipal Planning and Development Office
mt	metric ton
NGO	nongovernment organization
NIPAS	National Integrated Protected Areas System
PAMB	Protected Area Management Board
PCG	Philippine Coast Guard
PCRA	Participatory Coastal Resource Assessment
PENRO	Provincial Environment and Natural Resources Office
PNP	Philippine National Police
RA	Republic Act
SOCOPA	South Cotabato Purse Seiners' Association
SOCSKSARGEN	South Cotabato-Sultan Kudarat-Sarangani-General Santos City
SUML	Silliman University Marine Laboratory
t	ton
USAID	United States Agency for International Development
UFLA	Umbrella Fish Landing Association



# ***ACKNOWLEDGMENTS***

This profile could not have been possible without the help of a large number of people. Their concern for the coastal environment was our inspiration in preparing this profile. The agencies listed below deserve special thanks for their valuable contribution:

The Municipal Agriculture and the Municipal Planning and Development Offices of:

- Alabel
- Malapatan
- Glan
- Maasim
- Kiamba
- Maitum

General Santos City Planning and Development Office (CPDO)  
 General Santos City Agriculture Office  
 General Santos City Environment and Natural Resource Office  
 Provincial Planning and Development Office  
 Provincial Environment and Natural Resource Office  
 Provincial Agriculture Office  
 Bureau of Fisheries and Aquatic Resources (BFAR)  
 Department of Environment and Natural Resources (DENR) Regions XI and XII  
 National Statistics Office  
 Community Extension and Research for Development, Inc.  
 Canadian International Development Agency  
 Louis Berger International, Inc.  
 Silliman University  
 Mindano State University (MSU)  
 Tambuyog Development Center  
 South Cotabato Foundation, Inc.  
 Mahintana Foundation, Inc.

In particular we would like to thank the following persons for their special assistance:

Hon. Priscilla L. Chiongbian, Governor, Sarangani Province  
 Hon. Adelbert W. Antonino, Mayor, General Santos City  
 Hon. Leoncio R. Caballero, Jr., Mayor, Glan, Sarangani Province  
 Hon. Alfonso M. Singcoy, Mayor, Malapatan, Sarangani Province  
 Hon. Narciso RA. Grafilo, Mayor, Alabel, Sarangani Province  
 Hon. Moises A. Zamorro, Mayor, Maasim, Sarangani Province  
 Hon. Raul C. Martinez, Mayor, Kiamba, Sarangani Province  
 Hon. George Y. Yabes, Mayor, Maitum, Sarangani Province  
 Mr. Giuseppe N. Chew, Provincial Director on CRM, Office of the Provincial Agriculturist  
 Sarangani Province  
 Ms. Concepcion Portugal, Dean, College of Fisheries, Mindanao State University  
 Mr. Ermine A. Achanzar, CEP Coordinator, DENR  
 Ms. Evelyn T. Deguit, Community Development Advisor, Coastal Resource Management Project  
 Mr. Olivia F. Gonzales, Technical Assistant, Coastal Resource Management Project, Sarangani Province  
 Mr. Bayani Fredeluces, Technical Assistant, Coastal Resource Management Project, Sarangani  
 Province

# ***FOREWORD***

## ***from the GOVERNOR***

As early as 1993, Sarangani Province had assumed the lead role as guardian and overseer of Sarangani Bay. Sometime later, this was acknowledged or affirmed by General Santos City, South Cotabato, and Sultan Kudarat by virtue of a gestured designation.


Since then, we have implemented various projects, some of which were carried out with the valued assistance from the United States Agency for International Development (USAID) through the Coastal Resource Management Project (CRMP) of the Department of Environment and Natural Resources (DENR).

The publication of the *Coastal Environmental Profile of the Sarangani Bay Area* will surely help planners, project implementors, and our people as well to forge additional means by which our coastal resources will be effectively managed for sustainable use.

Indeed, this is a welcome and very refreshing development as we move on in our efforts in integrated coastal management. We now take hold of the updated information regarding issues and concerns affecting the bay and this serves as an indispensable tool for future course of action.

It must have been a very straining experience for researchers to come up with this profile. The result is undeniably of tremendous significance—certainly of so much value to all of us whose lives are inevitably connected with the bay's ecosystem.

To all the men and women responsible for the Sarangani Bay Profile, my sincere appreciation and heartfelt gratitude!



**PRISCILLA L. CHIONGBIAN**

*Governor*

*Sarangani Province*

# ***FOREWORD***

## ***from the MAYOR***

Studies and research on the degradation of our coastal habitats and coral ecosystems reveal alarming reports and figures. These statistics are instruments through which the ocean conveys its message. Our seas are crying and we should listen intently to its anguish, or we will wake up one day and hear no more of its cries, because our seas will have dried up.

The Local Government of General Santos City has responded to this juncture with a positive note. Several marine protection programs have been instituted to ensure the sustainability of marine resources. This is the city's modest way of paying homage to the seas for the abundance it has offered. For example, regular funding has been given to the Mangrove Rehabilitation Project in the three coastal *barangays* of the city: Barangays Bula, Baluan, and Buayan. The mangrove habitat has now broadened to 7 hectares. This project is in collaboration with the Coastal Resource Management Project, the Department of Environment and Natural Resources, Bayside Fishermen's Association, and youth clubs from the city's colleges.

Other important marine preservation programs include: the establishment of a fish sanctuary and marine reserve in Barangay Bawing which aims to regenerate fish stocks in the Sarangani Bay and the deputization of fish wardens and the organization of *Bantay Dagat*, which are 2 surveillance and monitoring efforts to control illegal fishing thereby properly implement fishery laws. These projects have been allocated regular funding from the city's Local Development Fund.

I always emphasize the critical importance of a holistic management approach, by preserving and protecting our natural resources, our marine ecosystem for that matter is the fundamental element. Sustainable development is about building a world we can bequeath to our children. The essence of the Sarangani Bay Profile is our regard for sustainability and survival.

If we are resolute in our environmental preservation and protection drive, let us by all means, give conviction to this responsibility. Let us make our ocean breathe again. As Sarangani Province says, "Bring back the fish, bring back the trees, bring back life." Our sea is life itself. We have to co-exist with this life, otherwise, woe will be unto us.

Let this excerpt of a poem from a Burmese book spur hope and incite action:

*"Water is far from a simple commodity, water is a sociological complexity... water is life ..."*



**ADELBERT W. ANTONINO**  
*Mayor*  
*General Santos City*

## ***PREFACE***

The *Coastal Environmental Profile of the Sarangani Bay Area, Mindanao, Philippines* provides baseline information about the coastal environment of the Sarangani Bay Area and is intended to assist with management planning at the municipal and *barangay* levels within the Sarangani Bay Area. It can also serve as a guide for other coastal municipalities in Sarangani and South Cotabato.

Coastal management problems identified in the Sarangani Bay Area are typical of fast developing coastal areas. Most land areas have been converted to agriculture and fishponds, and very little of the coastal land retains natural vegetation. As a result, the bay suffers from sedimentation. High fishing pressure has also been noted, and there are reports of the use of toxic substance and fine mesh nets, as well as the catching of juvenile fishes in some areas.

The unique biodiversity values of its tropical rainforest and the marine environment make the protection of this integrated ecosystem an urgent task. The Sarangani Bay Area is one of the few areas where endangered marine mammals like the *dugong* (sea cow) and whales are found. The bay is also lined with important coral reef and mangrove habitats that add tremendously to the natural productivity of the bay.

This profile is produced as part of the activities of the Coastal Resource Management Project (CRMP), implemented by the Department of Environment and Natural Resources (DENR), and funded by the United States Agency for International Development (USAID) which aims to develop and encourage leaders among local communities, nongovernment organizations (NGOs), and government units to work for coastal resource management (CRM). CRM is the process of planning, implementing, and monitoring beneficial and sustainable uses of coastal resources through participation, collaboration, and sound decision-making. This is reached by involving the entire affected community, resource users, local and regional government, NGOs, and the private sector. The aim is to promote an integrated coastal management approach that focuses on sustainability in coastal resource use, and minimizing the direct impacts on coastal resources from fishing, aquaculture, and tourism.

The integrated approach of participatory coastal management for the profile area has proven successful in other areas of the Philippines, and in other Asian countries. This approach depends on the dynamic action of community groups with local and national government agencies responsible for resource utilization in the area. This management approach does not dictate to the people, but rather, equips them, who rely the most upon the coastal environment, with the necessary tools to make rational and sustainable decisions. The first step in this process is the development of baseline information for planning. This profile completes this step for the Sarangani Bay Area.

# ***COMMONLY USED LOCAL TERMS***

Local Terms	English Translation	Local Terms	English Translation
<b>FISHING GEAR</b>			
<i>Baling</i>	Beach seine	<i>Bagis</i>	Unicornfish
<i>Basnig</i>	Bag net	<i>Bagisan</i>	Surgeonfish
<i>Bobo</i>	Fish trap or fish pot	<i>Balaki</i>	Goatfish
<i>Bubo (pangnokos)</i>	Squid trap	<i>Bangsi</i>	Flying fish
<i>Bunsod</i>	Fish corral	<i>Bangus</i>	Milkfish
<i>Hulbot-hulbot,</i> <i>sinsuro, baling</i>	Trawl	<i>Bantol</i>	Scorpionfish
<i>Pahubas, lam-ba,</i> <i>ta-an, pahangga</i>	Bottom set gill net	<i>Bariles</i>	Tuna
<i>Palangre, pamirit,</i> <i>undak</i>	Multiple hook and line	<i>Bat-og</i>	Saurie
<i>Palaran, pokot,</i> <i>patuloy</i>	Gill net	<i>Ba-ulo</i>	Jack
<i>Pamante, pamangsi</i>	Drift gill net	<i>Bawak</i>	Mullet
<i>Pamariles, pahawin,</i> <i>bira-bira</i>	Long line	<i>Bayang</i>	Batfish
<i>Pana, dimano,</i> <i>pusil-pusil</i>	Spear gun	<i>Bilason</i>	Fusilier
<i>Panonton, latak,</i> <i>pasol, lagdong,</i> <i>patungkad,</i> <i>pahawin, pataw-</i> <i>pataw, palaran</i>	Single hook and line	<i>Bilong-bilong</i>	Moonfish
<i>Pukot</i>	Fine mesh net	<i>Biyad</i>	Tuna
<i>Sadyap, sudsud</i>	Push net	<i>Bokadlose</i>	Threadfin
<i>Sikpam</i>	Scoop net	<i>Bodboron</i>	Tuna
<i>Sinsuro, likom</i>	Ring net	<i>Bodlotan</i>	Scorpionfish
<b>FISH</b>		<i>Bolan</i>	Tarpon
<i>Abo</i>	Rockfish, scorpionfish	<i>Bolinao</i>	Anchovy
<i>Alibangbang</i>	Butterflyfish	<i>Borot</i>	Scad
<i>Aluman</i>	Emperor	<i>Bucao</i>	Scorpionfish, big-eye
<i>Amag</i>	Anchovy	<i>Bugaong</i>	Tigerperch, therapon
<i>Amag-amag</i>	Right-eye flounder	<i>Bulan-bulan</i>	Moonfish
<i>Anduhaw</i>	Mackerel	<i>Bulao</i>	Scad
<i>Aso-os</i>	Whiting	<i>Bulgan</i>	Big-eye
<i>Ati</i>	Pomfret	<i>Caraballas</i>	Mackerel
<i>Baga</i>	Soldier fish	<i>Dalagang bukid</i>	Fusilier
<i>Baga-baga</i>	Squirrelfish	<i>Dali</i>	Sole
		<i>Danggit</i>	Rabbitfish
		<i>Dapak</i>	Pomfret
		<i>Datu</i>	Big-eye
		<i>Dayang</i>	Pomfret
		<i>Diwit</i>	Hairtail, scabbardfish
		<i>Dugho</i>	Swordfish
		<i>Ganting</i>	Squirrelfish
		<i>Gapas/gapas-gapas</i>	Monocle bream
		<i>Gisaw</i>	Mullet
		<i>Haan</i>	Snapper
		<i>Haol</i>	Herring
		<i>Haol-haol</i>	Pilchard
		<i>Hasa-hasa</i>	Mackerel
		<i>Hinok</i>	Goatfish
		<i>Hito</i>	Catfish

<b>Local Terms</b>	<b>English Translation</b>	<b>Local Terms</b>	<b>English Translation</b>
<i>Ibis</i>	Glassperch	<i>Salanga</i>	Devil ray
<i>Ilak</i>	Rudderfish	<i>Salingukod</i>	Whiptail
<i>Indangan</i>	Surgeonfish	<i>Salmon</i>	
<i>Ito</i>	Catfish	<i>Sambagon</i>	Tuna
<i>Karao</i>	Tuna	<i>Sapsap</i>	Ponyfish
<i>Katambak</i>	Emperor, surf bream, snapper	<i>Sihag-sihag</i>	Anchovy
<i>Kawa-kawa</i>	Wahoo	<i>Sihagan</i>	Anchovy
<i>Kitang/kikiro</i>	Scat	<i>Silay</i>	Threadfin bream
<i>Kubal-kubal</i>	Scad	<i>Solid</i>	Fusilier
<i>Labayan</i>	Wrasse, rainbowfish, tamarin	<i>Suwasid</i>	Halfbeak
<i>Lagao</i>	Threadfin bream	<i>Tabangko</i>	Sillago
<i>Langkoy</i>	Hairtail	<i>Talakitok</i>	Trevally, scad
<i>Lapis</i>	Mackerel	<i>Tamban</i>	Sardinella, herring
<i>Lapu-lapu</i>	Grouper, rockcod, seabass	<i>Tanguigue</i>	Mackerel, wahoo
<i>Lawong</i>	Scorpionfish	<i>Tatabal-tabal</i>	Saddlegrunt
<i>Latab</i>	Mojarra	<i>Tilapiang-dagat</i>	Tripletail
<i>Libgao</i>	Anchovy	<i>Tiki</i>	Lizardfish, snakefish
<i>Liplipan</i>	Billfish, bairfish	<i>Tigi/tigi-tigi</i>	Jobfish
<i>Lipte</i>	Sweetlip, grunt	<i>Turnos</i>	Herring
<i>Lupoy</i>	Herring	<i>Timbugan</i>	Goatfish, sweeper
<i>Malaguno</i>	Scad	<i>Tugnos</i>	Anchovy
<i>Malapati</i>	Scad	<i>Tulay</i>	Scad, flying fish
<i>Malmal</i>	Scad	<i>Tulingan</i>	Tuna
<i>Mamsa</i>	Jack	<i>Ubod</i>	Moray eel, conger
<i>Marang</i>	Marlin	<i>Una</i>	Mackerel
<i>Maya-maya</i>	Snapper		
<i>Mol-mol</i>	Parrotfish, wrasse	<b>CRUSTACEANS</b>	
<i>Mongit</i>	Surgeonfish	<i>Banagan</i>	Spiny lobster
<i>Moong</i>	Cardinalfish	<i>Kasag</i>	Crab
<i>Naniw</i>	Halfbeak	<i>Hipon</i>	Shrimp
<i>Pakol</i>	Triggerfish	<i>Lambay</i>	Crab
<i>Pagi</i>	Stingray	<i>Lokon</i>	Prawn
<i>Palad</i>	Dusky sole	<i>Ulang</i>	Shrimp
<i>Palata</i>	Lanternfish		
<i>Pandawan</i>	Dolphinfish	<b>MOLLUSKS</b>	
<i>Pata</i>	Damselfish	<i>Kubotan</i>	Octopus, cuttlefish
<i>Pina</i>	Escolar	<i>Kugita</i>	Octopus
<i>Pirit</i>	Tuna	<i>Labayan</i>	Cuttlefish
<i>Pugot</i>	Triggerfish	<i>Lumagayan</i>	Bigfin squid
<i>Rolyete</i>	Amberjack	<i>Nokos</i>	Squid
<i>Rompe</i>	Barracuda	<i>Pusit</i>	Squid
<i>Saging-saging</i>	Grouper	<i>Tabugok</i>	Octopus
<i>Sagisihon</i>	Snapper		
<i>Sagoksok</i>	Barracuda		

## ***GLOSSARY of TERMS***

**Beach seine.** This net measures 50-200 m long x 1-5 m deep, with a mesh size of > 3 cm. Four to 8 persons in a motorized or non-motorized *banca* use this at an average of 1 operation per day, 5 days per month. The fishing area is 50-100 m from the shoreline at 10-20 fathoms. When a school of fish is detected, a *banca* lays out the net to form a C facing the shore to half-enclose the fishes. Fishermen slowly pull the ends of the net on the shore so that the fishes are driven into the bag (pocket). Upon reaching the shore, the fishes are picked from the bag.

**Bottom set gill net.** This gear uses nylon size #4, #6, #8, or #10 weaved into a net. The length may vary, but the depth is often 1.5 m only. It is used in shallow waters close to shore, usually in mangrove, seagrass, and coral reef areas. Floats are attached to the top of the net and sinkers at the bottom so that the net stays open in the water with the bottom touching the substrate. Its operation requires 1-2 people only. The net is left for an average of 3 hours after which it is hauled out of the water.

**Crab or lobster trap.** This is made up of bamboo or wire traps used to catch crabs or lobsters. Soaking time is a few days to a week.

**Drift gill net.** This is a long net line ranging from 200 to 16,000 m (16 km) long and 2-3 m deep that "drifts" in open waters. The mesh size ranges from 4.5 to 10 cm made of filament size #4. This gear is used with a big motorized "motherboat" and 10 other smaller boats requiring 2-6 persons to operate.

**Fine mesh net.** This net is made of nylon (filament #4), with length ranging from 139 to 205 m, depth of 18-31 m, and mesh size of 8 cm. Two people operate this gear.

**Fish corral.** The fish corral or fish pen is made of bamboo poles or brush set on the substrate in shallow waters (5-20 fathoms) to form a circle or square pen surrounded with nets. This is placed usually 20 m from the lowtide line, and shaped to direct the voluntary movement of fishes into the enclosure (Umali 1950). The opening to the corral faces the shore. This requires 12-30 persons to build and ownership is often communal. When fishes have accumulated inside, these are harvested using some other gear type, usually gill or lift net.

**Fishing with light.** This is used to refer to any type of fishing done at night with the aid of a petromax (kerosene) lamp. The fishes are attracted to the light and gather around the fisher or the *banca* and then can be easily caught with a spear gun or with a scoop net.

**Fish trap or fish pot.** This is a rectangular bamboo or wire trap used to catch demersal fishes. Soaking time is 1 week.

**Gill net.** This net is made of a nylon, synthetic fiber or cotton twine #4, #7, #8, or #10. It measures 30-50 m long and 1-2.5 m deep. The sinkers are light so that the net floats in mid-water following the current direction. One to 3 people are needed to operate this gear. This is left in place usually overnight for an average of 8 hours in 3-28 fishing days.

**Jigger.** There are various modifications of this gear based on the bait used and target species caught. The *saranggat* is made up of a 30-m nylon line (size #4-12) and a bunch of stainless steel hooks (#1-24) arranged with the spikes directed outwards. The hooks are painted white in order to attract red squids (*lumayagan*) which are its target (and only) species. Thus, these are also commonly called squid jiggers. *Kati* or *hayungkong* resembles the *saranggat* in appearance but uses for bait a black cloth and stones fashioned to resemble an octopus, a crustacean, or shrimp (*kauongkong*). This is often used at night with a light. The line is jerked up and down which

attracts octopus and cuttlefish. As this gear is very specific, fishers may not be able to catch squids when these are not in season.

**Lift net.** Like the scoop net, the lift net is also used together with other gear, usually the ring net and operating from a boat. It is used to transport fishes encircled by the ring net, out of the water into the boat. This net is 4-100 m long and 5-27 m deep and has a small mesh size of 76 mm.

**Long line.** The *pahawin* is a long line measuring 200 m and is usually kept rolled around a bamboo tube. A large (size #13, #14, #15, or #17) baited hook is attached at the end of this line. A lead sinker attached to the secondary line keeps the line at the bottom. This gear is towed at depths of 100-200 fathoms for 14-18 hours, usually from late afternoon up to early or mid-morning of the following day, by 1 to 2 persons on a motorized boat.

The *bira-bira* is used in deep-sea fishing, often with the tuna handline because its target species, which are scads, are used for tuna bait. The long line is 100-300 m long, made of #130 or #160 nylon for the mainline, and #15 nylon for the secondary line. A sinker and colored crystalet bait are attached before the secondary line. One or more hooks size #15 or #19 are used. The line is suspended at depths of 100-200 fathoms, 1-5 km from the shoreline.

**Multiple hand line.** This is a single vertical line with a series of small barbed hooks attached to it by "spreaders" spaced at regular intervals.

**Multiple hook and line.** The *undak* is a line with 50-150 hooks attached 1 m from each other on the secondary line, of any or a combination of the following hook sizes: #569, #572, or #571. The gear is towed at 20-30 fathoms in pelagic waters. The *palangre* is a long filament line (thus may also be classified under long lines) measuring from 800 to 2,000 m and uses from 100 to 800 of hooks of any of the following sizes: #15, #565, #567, or #568. Bait is placed at every hook. This contraption is suspended near the bottom at depths of 3-5 fathoms and is allowed to stay from 14 to 18 hours before it is brought in.

**Pull or drag net.** This net catches fish by horizontally pulling or dragging the gear.

**Push net.** The push net is a fine mesh net (similar to mosquito netting) used to catch *bangus* (*Chanos chanos*) fry. This is approximately 1 x 5 m, attached at both ends to a bamboo pole, and is pulled by 2 persons parallel to the shoreline. Another modification of the push net has dimensions of 10 m in length, 4 m in width, and 3 m in depth, and has a mesh size of 0.5 cm.

**Rentex.** This is a fishing line with bunch of colored fine threads at the end serving as bait. Two to 5 people slowly drag this from a non-motorized boat. Belonid fishes are the target species of this gear type.

**Ring net.** This net combines the features of a round haul seine (which has a bunt at the center and is flanked by 2 wings) and purse seine (Umali 1950). This is made of nylon of filament size #2-12 measuring 30-40 m long x 2-16 m wide x 2-93 m deep, and has a mesh size of about 10 cm. The bottom of the net touches the substrate and may do damage when it scours the bottom as the net is hauled in. This gear is heavy, and its use requires a manpower of 9-14 persons. The ring net is used to encircle schools of pelagic fishes such as scads, mackerels, tunas, and sardines.

**Scoop net.** Scoop nets generally have a mesh size of 0.2 cm. Scoop nets are oftentimes used together with ring nets or gill nets to scoop out the fishes encircled by these gear or these may be used at night with a petromax lantern that attracts fishes.



**Seine net.** This is a net with a bunt or bag, flanked at each side by quarters or wings. The gear is positioned as to encircle a shoal or school of fish and the catch is hauled toward the shore or a boat.

**Set line.** This is a long line oriented horizontally in midwater from which many hooks are suspended vertically close to the substrate. This gear is anchored to the bottom so it does not move with the current. The length varies from 30 to 180 m and a hundred or more hooks are attached to it. This gear is specific for the belonid, *Tylosorus acus melanotus*.

**Single hook and line.** Gear with 1-5 hooks are classified under this gear type. There are variations of this gear based on the hook number, the size, and weight of the sinker, and modifications in the appearance and use, which are all geared towards catching specific species.

**Pamariles** or tuna handline is used in commercial fisheries, i.e., on fishing boats of more than 3 GT. The mainline is made of #180 nylon to which a secondary line (#120 or 130) is attached. A sinker weighing 1 kg or more is attached before the secondary line. Smaller fishes, mostly scads, are used for bait. The line is 200-800 m long and is used in pelagic waters from 100 to 300 fathoms, 15 km from the shoreline. The catch includes tuna, Spanish mackerel, marlin, and sometimes dolphins.

In **panglatak**, a size #21 hook is used. Crystalet or cellophane strips (*limbag*) are used as bait for species such as mackerel, jacks, and other scombrids. This gear is used at depths of 30-50 fathoms.

The **paniwit** uses 1 to 2 hooks of sizes varying from #9 to #14 and #21, attached on a single nylon line #130 or #160 that is about 300-600 m long. A sinker (*tulawog*) weighing less than 1 kg is attached to a secondary line of nylon #30. The target species are hairtails (*Trichiurus* spp).

**Skylab.** This is a relatively new device for fishing. It is made of a net, with 2-cm mesh size, attached at a steel ring of 1.5-2 m diameter. Bait is made to settle on the substrate at the center of the net. When fishes concentrate at the center to feed on the bait, the net is pulled up quickly. One to 2 fishers are needed to operate the skylab.

**Spear gun.** There are 2 versions of this gear — the *pana* or spear gun and the *diman* or harpoon. The former is fashioned like a gun with rubber band or spring to trigger a sharpened 1-3 m long steel shaft. The latter is a straight steel rod with a 3-pronged end and is hurled toward the fish. Oftentimes, the spear gun is used in *hookah* or compressor fishing wherein a fisher breathes air from the surface through a long tube, thus permitting him to stay longer underwater.

**Squid trap.** This is a bamboo or wire trap fashioned into a square used specifically for catching squids. Mangrove branches are laid in 5-7 fathoms of water for squids to lay their eggs on. These are then placed inside the trap in order to lure the squids. The soaking time is approximately three weeks from the full moon to the last quarter.

**Trawl.** This gear is used within 100 m from the shore and catches all species and all sizes of fish swept along its path as it is dragged along the sea bottom. It also destroys seagrass and coral reef areas. The use of trawl within the bay is considered illegal.

**Troll line.** The local name for this gear is *subid*. A troll line is composed of a single hook (size #9 or #10) attached to a 120-200 m nylon (filament size #50-160) with a sinker. It is pulled either by a motorized or non-motorized *banca* at 15-40 fathoms, often near fish shelters (*payao*).

